


## Simplify Your Analysis of Furan and Alkylfurans with Restek's New Multicomponent CRM Mix



Designed for food safety labs analyzing these emerging compounds of interest, Restek's new multicomponent mix meets all compounds listed by AOAC SMPR 2019.004 and Commission Recommendation (EU) 2022/495. By combining eight furan and alkylfuran compounds into one ampul, calibration complexity is reduced, enabling labs to minimize errors, save time, and decrease costs.

A high concentration of 100 µg/mL adds additional flexibility in creating working standards, and an optimized SPME Arrows and GC-MS method helps labs streamline method development.

The **Furan/Alkylfurans Standard (cat.# 33334)** is a certified reference material (CRM) manufactured and QC-tested in Restek's ISO-accredited labs.

### Compounds

- Furan
- 2-Methylfuran
- 3-Methylfuran
- 2,5-Dimethylfuran
- 2-Ethylfuran
- 2-Butylfuran
- 2-Pentylfuran
- 2,3-Dimethylfuran

**[www.restek.com](http://www.restek.com)**

Restek Corporation  
[www.restek.com](http://www.restek.com)  
1-814-353-1300, ext. 3

Restek patents and trademarks are the property of Restek Corporation. (See [www.restek.com/Patents-Trademarks](http://www.restek.com/Patents-Trademarks) for full list.) Other trademarks in Restek literature or on its website are the property of their respective owners. Restek registered trademarks are registered in the U.S. and may also be registered in other countries. To unsubscribe from future Restek communications or to update your preferences, visit [www.restek.com/subscribe](http://www.restek.com/subscribe) To update your status with an authorized Restek distributor or instrument channel partner, please contact them directly.

© 2024 Restek Corporation. All rights reserved. Printed in the U.S.A.

FSPR4231-UNV